LIP FILLER CATALOG

CERESFILL®

LIP

PREMIUM
HYALURONIC ACID LIP FILLER
WITH LIDOCAINE 1.1 mL

Design your Lips with CERES

Manufactured by CHEUN BIOTECH Co., Ltd. | Distributed by MY Korea Trade Co., Ltd.



PRODUCT OVERVIEW

Made for Beautiful Lips

CERESFILL® LIP

CERESFILL® LIP is a hyaluronic acid filler with 0.3% lidocaine, designed to add volume and define the shape of the lips. It shares the proven CERESFILL® formulation and adds cyanocobalamin (vitamin B12), which gives the gel its signature red color.



Cross-linked HA

20 mg/mL

The same HA concentration as the CERESFILL® line-up

Lidocaine HCl

0.3%

Built-in local anesthetic for a more comfortable treatment

Cyanocobalamin

B12

Vitamin B12 gives the gel its signature red color

Per syringe

1.1 mL

Pre-filled syringe, one per box

KEY FEATURES

Four Reasons to Choose CERESFILL® LIP

CERESFILL®
LIP

01

Signature Red Gel

Cyanocobalamin (vitamin B12) colors the gel red, making CERESFILL® LIP instantly recognizable.

02

Fine, Soft Texture

Based on the fine-particle 120’ formulation for smooth spreading and a soft, natural feel in the lips.

03

Shape & Volume

Developed for lip augmentation: fuller volume and a clearer, well-defined lip contour.

04

Comfortable Treatment

0.3% lidocaine hydrochloride helps reduce discomfort during injection.



SIGNATURE RED

The Color of CERESFILL® LIP

CERESFILL® LIP uses the same fine-particle hyaluronic acid gel as CERESFILL® 120’, with cyanocobalamin (vitamin B12) added to the formulation.

Same base formula

Cross-linked HA 20 mg/mL with 0.3% lidocaine, the same as CERESFILL® 120’

Cyanocobalamin (vitamin B12)

A water-soluble vitamin that gives the gel its natural red tone

Easy identification

The red gel makes the lip product easy to tell apart from the standard line-up

Cyanocobalamin is included as a formulation component. Please refer to the Instructions for Use for the approved indications.



TREATMENT AREAS

Designed for Lip Shape and Volume

CERESFILL® LIP

Fine particles and a soft gel let practitioners shape the lips with natural, balanced results.



1	**Lip volume**	Upper and lower lip body
2	**Lip contour**	Vermilion border definition
3	**Cupid's bow**	Peak definition of the upper lip
4	**Philtral columns**	Natural philtrum lines
5	**Lip corners**	Oral commissures

Indicative treatment areas only. Product use, depth and volume are at the discretion of the treating physician.

CLINICAL CASES

Before & After

CERESFILL® LIP

Natural volume and a clearer lip contour after treatment with CERESFILL® LIP.



Case 01 · Lip volume



Case 02 · Lip shape & contour

Clinical photos from treated cases. Individual results may vary.

CLINICAL CASES

Smoother, Fuller, More Hydrated Lips

CERESFILL® LIP



Before (left) · After (right)

Smoother surface

Fine lip lines look visibly softened

Fuller volume

Lips look plumper and more defined

Hydrated look

A healthy, glossy finish



After treatment

Clinical photos from treated cases. Individual results may vary.

PRODUCT

CERESFILL® LIP

CERESFILL®
LIP



Studio



Signature red



Packaging

CERESFILL®
LIP

Specifications

Product name	Hyaluronic Acid Lip Filler with Lidocaine
Brand	CERESFILL® LIP
Composition	Cross-linked hyaluronic acid 20 mg/mL Lidocaine hydrochloride 3 mg/mL (0.3%) Cyanocobalamin (vitamin B12)
Gel	Fine-particle cross-linked HA gel (CERESFILL® 120′ grade), red
Packaging unit	1.1 mL × 1 pre-filled syringe per box
Main use	Lip volume and lip contour
Needles / Storage	Refer to the Instructions for Use
Manufacturer	CHEUN BIOTECH Co., Ltd.



QUALITY

Built on the CERESFILL® Quality System

CERESFILL® LIP

CERESFILL® LIP is made with the same hyaluronic acid filler base as the CERESFILL® line-up and managed by the 5 SP (Safety & Precision) parameters.

01



Residual BDDE

Purification process to remove unreacted cross-linker

02



Pendant BDDE

Process optimization for complete cross-linking

03



LMW-HA

Generation of low-molecular-weight HA controlled

04



Swelling Ratio

Upper limit to reduce early swelling

05



Inflammatory Response

Evaluated with inflammation-related markers

CERESFILL® LIP

Directions & Precautions

Application

1	**Disinfect**	Cleanse and disinfect the lips and surrounding skin.
2	**Assemble**	Remove the tip cap and firmly attach the supplied needle.
3	**Inject**	Inject slowly in small amounts to shape and add volume.
4	**Mold**	Gently massage to even out the result if needed.

Precautions

- Do not inject into blood vessels
- Patients with a history of herpes labialis may experience recurrence
- Avoid excessive volume, which may cause severe swelling
- Single use only; do not reuse or re-sterilize
- Not for patients hypersensitive to lidocaine or HA

After-care

- Avoid make-up on the lips for 12 hours
- Avoid sauna and extreme heat or cold for 2 weeks
- Transient swelling or redness may last about 1 week

For the complete list of warnings and contraindications, please read the Instructions for Use.

CONTACT

Manufacturer & Distributor

MANUFACTURER

CHEUN BIOTECH Co., Ltd.

B-1407·1408, 99 Sagimakgol-ro, Jungwon-gu,
Seongnam-si, Gyeonggi-do 13201,
Republic of Korea

+82-31-789-6844 · www.cheunbiotech.com

DISTRIBUTOR

MY Korea Trade Co., Ltd.

B-1407, 99 Sagimakgol-ro, Jungwon-gu,
Seongnam-si, Gyeonggi-do,
Republic of Korea

+82-2-2215-3888

CERESFILL® LIP

Design your Lips with CERES

